

TRADELOGIQ MARKETS INC.

Omega ATS and Lynx ATS

FIX Interface Specification – FIX 4.2
v. 1.0.5.5

Effective Date:
November 29, 2024

Contents

1. REVISION HISTORY	3
2. PURPOSE	6
3. INTRODUCTION	6
3.1 Intended Audience	7
4. FIX INTERFACE SPECIFICATION	7
4.1 Information Communication and Message Content	7
4.1.1 Standard Message Header	7
4.1.2 Standard Message Trailer	8
4.2 Administrative Messages	9
4.3 Application Messages	9
4.3.1 New Order-Single	10
4.3.2 Order Cancel/Replace (Modify) Request	16
4.3.3 Order Cancel Request	17
4.3.4 Order Cancel Reject	18
4.3.5 Crosses – Omega ATS Only	18
4.3.6 Order Status Request	23
4.3.7 Execution Reports	24

1. REVISION HISTORY

Date	Revision	Description of Change
August 13, 2007	1.0.8	First Public Release
September 28, 2007	1.0.9	Added FIX Tags required for Compliance and Reporting
October 12, 2007	1.0.10	Drop Symbolsfx(65), now use Symbol dot-suffix notation
October 18, 2007	1.0.11	Added Execution Report ExecRefID(19) to the document
November 19, 2007	1.0.12	Removed ITCH2.0a section, modified ITCH3.0 to 10-char symbols and added UMIRInventoryMatchFlag to the Execution Report
March 22, 2008	1.0.13	Added OnBehalfOf and DeliverTo Tags to Header, Executing Exchange.
August 15, 2008	1.0.14	<ul style="list-style-type: none"> ▪ Added ProgramTrades (6755) to New Order – Single, ProgramTrades (6755) and WashTrades (6777) to Execution Reports ▪ Changed UMIRInventoryClientMatch (6752) in Execution Reports to tag 6776
September 18, 2008 October 15, 2008	1.0.15	<ul style="list-style-type: none"> ▪ In ITCH, added Message Type ‘B’ for Trade Busts. ▪ Added SecondaryOrderID (198) to Execution Reports ▪ Added Protection (6820) and ProtectionPricImprovement (6821) to New Order – Single ▪ Changed Anonymous from Tag 7012 to Tag 6761 in New Order – Single and added tag to Execution Report
November 3, 2008	1.0.16	<ul style="list-style-type: none"> ▪ Added tag SecurityExchange (207) to New Order - Single ▪ Added tags SecurityIDSource (22), SecurityID (48), and SecurityExchange (207) to Execution Report
January 8, 2009	1.0.17	<ul style="list-style-type: none"> ▪ Updated ITCH specification with: ▪ Starting sequence # in Login Request Packet changed from ‘0’ to ‘1’. ▪ Changed the Execbroker length from 4 characters to 3. ▪ Changed the Execbroker value from ‘OMG’ to a numerical value. ▪ Added a Reserved field with offset 40 and length 1 after the Execbroker field.
April 20, 2009	1.0.18	<ul style="list-style-type: none"> ▪ Correction - For FIX tag OrdStatus (39), added value “9” for suspended ▪ Added tag UMIRBypass (6791) to New Order – Single ▪ Added tag UMIRBypass (6791) to Execution Report
January 12, 2010	1.0.20	Remove ITCH and Soup specifications from the document to make this FIX specification only.

Date	Revision	Description of Change
July 2, 2010	1.0.21	<ul style="list-style-type: none"> Added notes in description for Tag 100. Added Functional support for Tag 6820, 6821 to comply with order protection rule.
May 23, 2011	1.0.22	<ul style="list-style-type: none"> Updated values for Tag 30
July 12, 2012	1.0.23	<ul style="list-style-type: none"> Added ShortMarkingExempt marker (7729) Added Section for Crosses Updated values for Tag 54 Updated values for Tag 30 Updated values for Tag 207 Added Tag 375 for ContraBroker Added Tag 41 to Execution Report (Missing in error) Added Peg Orders
March 4, 2013	1.0.24	<ul style="list-style-type: none"> Added ActiveOnMarket (6889) Added PostOnMarket (6888) Include references to Lynx ATS
August 1, 2013	1.0.24	<ul style="list-style-type: none"> Updated description under Visible (9479) tag to specify mid-point pegs are the only hidden order currently supported
June 10, 2014	1.0.25	<ul style="list-style-type: none"> General cleanup and corrections
June 20, 2014	1.0.26	<ul style="list-style-type: none"> Added Tag 12 for Commission Added Tag 13 for CommType
September 3, 2015	1.0.27	<ul style="list-style-type: none"> Added Tag 7713 for NoTradeFeat Added Tag 7714 for NoTradeKey Added Tag 7715 for NoTradeOrd Added Tag 7716 for NoTradeVol Added Tag 7717 for NoTradePrice Added Tag 7733 for SelfTrade
June 23 2017	1.0.28	<ul style="list-style-type: none"> Tag 6750 (AccountType) = BU (Bundled Order) Tag 6832 (BuyAccountTypeld) = BU (Bundled Order) Tag 6837 (SellAccountTypeld) = BU (Bundled Order) Tag 6773 (CrossType) = D (Derivative Related Cross) Removed primary peg Removed market peg Removed 6749 (nomatch ID) Removed 211 (peg difference) Removed TMXS value for tag 30
March 09, 2020	1.0.29	<ul style="list-style-type: none"> Added Tag 21 on Execution Report Added Tag 6820 on Execution Report Added Tag 6821 on Execution Report Added Tag 6831 on Execution Report - Crosses Added Tag 7729 on Execution Report and Crosses Added possible value "D" on Tag 6773 on Execution Report Added possible value "M" on Tag 18 on Execution Report Added value "M" on Tag 18 on New Order-Single Request Added possible value "2" on Tag 102 on Order Cancel Reject

Date	Revision	Description of Change
		<ul style="list-style-type: none"> ▪ Removed Tag 9479, tag 9479 is no longer supported. There is no need send this tag for midpoint peg order
April 30, 2020	1.0.30	<ul style="list-style-type: none"> ▪ Added notes on Cross Order Behavior
November 17, 2020	1.0.31	<ul style="list-style-type: none"> ▪ Added value 'N' on tag 6791 on Crosses ▪ Updated Cross Description
December 8, 2020	1.0.41	<ul style="list-style-type: none"> ▪ New Single Order Request: Added Tag(s): CustomerAccount(8025) OrderOrigination(1724) CustomerLEI(8027) BrokerLEI(8028) RoutingArrangementIndicator(2883) AlgorithmID(8026) Added new value 'MC' to UMIRAccountTypeld (6750) ▪ Crosses: Added Tag(s): BuyAlgorithmID(20203), SellAlgorithmID(20204), BuyBrokerLEI(20207), SellBrokerLEI(20208), BuyCustomerAccount(20201), SellCustomerAccount(20202), BuyCustomerLEI(20205), SellCustomerLEI(20206), BuyOrderOrigination(20209), SellOrderOrigination(20210), BuyRoutingArrangementIndicator(20211), SellRoutingArrangementIndicator(20212) Added new value 'MC' to BuyAccountTypeld (6832) and SellAccountTypeld (6837) ▪ Execution Reports Added Tag(s): CustomerAccount(8025) OrderOrigination(1724) CustomerLEI(8027) BrokerLEI(8028) RoutingArrangementIndicator(2883) AlgorithmID(8026) Added new value 'MC' to UMIRAccountTypeld (6750) ▪ Execution Reports Crosses Added new value 'MC' to BuyAccountTypeld (6832) and SellAccountTypeld (6837)
April 20, 2022	1.0.5	<ul style="list-style-type: none"> ▪ Added fix tag (63) SettIType and tag (64) SettIDate for Special Terms support on Cross Order and Cross Execution Report ▪ Added fix tag (6792) NCIB to New Single Order and Cross Order ▪ Replaced Omega Securities Inc (OSI) references with Tradelogiq Markets Inc.
June 13, 2022	1.0.5.1	<ul style="list-style-type: none"> ▪ Non functional change: Corrected 'Cross Trade text' the following Blacklined text was introduced in version 1.0.5 in

Date	Revision	Description of Change
		<p>error from previous version 1.0.3. And amended to ‘All crosses not marked as Bypass will default to “Do Not Bypass”.</p> <ul style="list-style-type: none"> ▪ Updated tag (6791) UMIRBypass for Cross orders to reinstate value N = Do Not Bypass (Default)
April 10, 2023	1.0.5.2	<ul style="list-style-type: none"> ▪ Document cleaning, clarification on tag 9479 (1.0.29) ▪ Removed required tag on Crosstype tag 6773
October 30, 2023	1.0.5.3	<ul style="list-style-type: none"> ▪ Document cleaning; clarification on tags 6820 and 6821.
April 12, 2024	1.0.5.4	<ul style="list-style-type: none"> ▪ Special Settlement Term Cross for Next Day (Tag 63=2), will be rejected.
November 29, 2024	1.0.5.5	<p>New Order-Single Request Changes</p> <ul style="list-style-type: none"> ▪ Added new Tag 110 MinQty ▪ Added new Tag 211 PegOffset ▪ Added new Tag 20005 MatchingStateParticipation ▪ New Tag 7713 Value “XM” (No cancel) ▪ New Tag 18 Value (“P” – Market Peg , “R” – Primary Peg) <p>Execution Report Changes</p> <ul style="list-style-type: none"> ▪ Added new Tag 110 MinQty ▪ Added new Tag 211 PegOffset ▪ Added new Tag 20005 MatchingStateParticipation ▪ New Tag 7713 Value “XM” (No cancel) ▪ New Tag 18 Value (“P” – Market Peg , “R” – Primary Peg)

2. PURPOSE

The purpose of this document is to provide a reference for subscribers to develop and interface their systems with the Omega ATS and Lynx ATS trading venues operated by Tradelogiq Markets Inc.

Subscribers are encouraged to review the Tradelogiq Markets Inc. Trading Functionality Guide for Omega ATS and Lynx ATS available for download on our website at: <https://tradelogiq.com/trading/omega-and-lynx/>

3. INTRODUCTION

Tradelogiq Markets Inc. supports the Financial Information Exchange (FIX) Protocol for subscribers to submit orders to and execute trades on Omega ATS and Lynx ATS.

The FIX Protocol helps to manage and maintain market sessions and their states through the exchange of Administrative and Application Messages. The remainder of this document provides the detailed definition of the message fields and formats.

This specification is a supplement to the general FIX Protocol specification, originally developed and currently maintained by the FIX Technical Committee, receiving direction from International Steering Committees, its Global Steering Committee and various Financial Industry Working Groups. For more information about the FIX Protocol and the various committees and working groups supporting its development and maintenance, visit <https://www.fixtrading.org/>.

3.1 Intended Audience

This document has been developed for the technical audience of system level interface design engineers, software developers and system operation support personnel.

4. FIX INTERFACE SPECIFICATION

The Tradelogiq Markets Inc. FIX Interface Specification is defined herein. This is a working document, the most recent version of which is available to be downloaded at: <https://tradelogiq.com/connectivity/>.

4.1 Information Communication and Message Content

The FIX communication protocol provides for the asynchronous exchange of command and status messages and is implemented in the form of Request and Response packets used for information exchange between subscribers and the Omega ATS and Lynx ATS servers.

All FIX messages adhere to a general message format specification, in that they consist of:

- Standard Header
- Specialized Content (Request/Response) of an Administrative or Application Message
- Standard Footer

4.1.1 Standard Message Header

The following fields are supported in the Message Header.

Standard Message Header

Tag	Field Name	Data Type	Req'd	Comments
8	BeginString	String	Y	FIX.4.2 Note: always unencrypted, this field must be the first field in the message
9	BodyLength	Int	Y	Note: always unencrypted, this field must be the second field in the message
35	MsgType	String	Y	Note: always unencrypted, this field must be the third field in the message
49	SenderCompID	String	Y	Service Provider ID (Subscriber Firm)
56	TargetCompID	String	Y	Assigned receiving firm identifier Always = "OMEG"

34	MsgSeqNum	Int	Y	Unique sequence identification number, unless PossDupFlag = 'Y'
57	TargetSubID	String	N	Assigned value used to identify specific individual or unit intended to receive message. "ADMIN" reserved for administrative messages not intended for a specific user.
115	OnBehalfOfCompID	String	N	Trading partner Company ID used when sending messages via 3 rd party.
116	OnBehalfOfSubID	String	N	Trading partner Sub ID used when sending messages via 3 rd party.
128	DeliverToCompID	String	N	Trading partner Company ID used when sending messages via 3 rd party.
129	DeliverToSubID	String	N	Trading partner Sub ID used when sending messages via 3 rd party.
43	PossDupFlag	Boolean	N	Indicates possible retransmission of message with this sequence number: Y = Possible duplicate N = Original transmission
97	PossResend	Boolean	N	Required when message may be duplicate of another message sent under a different sequence number: Y = Possible duplicate N = Original transmission
122	OrigSendingTime	Timestamp	N	Universal Time Coordinate System (UTC)
52	SendingTime	Timestamp	Y	Universal Time Coordinate System (UTC)

4.1.2 Standard Message Trailer

The following fields are supported in the Message Trailer.

Standard Message Trailer

Tag	Field Name	Data Type	Req'd	Comments
93	SignatureLength	Int	N	
89	Signature	Data	N	
10	Checksum	String	Y	Three byte, simple checksum (see FIX Protocol Appendix B: CheckSum Calculation for description). ALWAYS LAST FIELD IN MESSAGE; i.e. serves, with the trailing <SOH>, as the end-of-message delimiter. Always defined as three characters. (Always unencrypted)

4.2 Administrative Messages

All FIX 4.2 session level messages are supported by both Omega ATS and Lynx ATS. Refer to <https://www.fixtrading.org/> for the specification of these messages and the required tags or optional fields, including values allowed, descriptive meanings and usage notes.

- Logon
- Heartbeat
- Test Request
- Resend Request
- Reject
- Sequence Reset
- Logout

4.3 Application Messages

Tradelogiq supports FIX application level messages for order entry and execution handling.

Fundamental data-type integrity checking of requests is performed prior to message acceptance. For example, numeric fields must be numbers, the length of fields must be correct, etc. Requests that do not pass fundamental integrity checks or do not contain mandatory tags such as ClOrdID (tag 11) will be rejected with an Administrative Reject message (MsgType = 3). SessionRejectReason (tag 373) will contain a code relevant to the reason for rejection and the text tag (tag 58) may contain a message with additional error detail.

FIX tags that are not identified in the following tables will not be processed and are ignored by Omega ATS and Lynx ATS. All required and optional fields specified here shall be treated as follows:

1. The Required fields in request messages will be validated, processed and returned to the caller as specified by the FIX Protocol.
2. All Required and Optional fields specified herein shall be stored by the Tradelogiq system and may be utilized by the subscriber reporting sub-system, as required and mutually agreed upon by Tradelogiq and its subscribers.

Tradelogiq's interface supports the following FIX Protocol application level message types for Omega ATS and Lynx ATS:

Request Messages

- New Order-Single
- Order Cancel
- Order Cancel/Replace (Modify)
- Order Status

Response Messages

- Order Cancel Reject
- Execution Report

4.3.1 New Order-Single

If a required tag is missing, or the value is invalid or not supported, an “Execution Report” message will be sent out with ExecTransType = 0 (NEW) and OrdStatus = 8 (REJECTED)

Immediately after Tradelogiq receives a New Order-Single, Tradelogiq will acknowledge the order by an Execution Report message with ExecTransType = 0 (NEW) and OrdStatus = 0 (NEW).

To comply with the Order Protection Rule, subscribers can specify tags 100, 6820, and 6821 to protect orders from booking through or trading through other marketplaces. Tag 100 is used for routing purposes and tags 6820 and 6821 are used to protect non-routed orders.

Tag 6888 will be used to instruct Tradelogiq on how an order should interact with Omega ATS and Lynx ATS. Tag 6888 indicates the preferred booking destination if the order or a portion of the order is not immediately executable and needs to be posted to Omega ATS or Lynx ATS.

New Order-Single Request

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = D
11	ClOrdID	String	Y	Unique order ID
76	ExecBroker	String	Y	Used for firm identification in third-party transactions. If no third party, then the ID of the primary firm.
7713	NoTradeFeat	String	N	<p>NM = Cancel Newest Order (Active order) OM = Cancel Oldest Order (Passive order) DM = Decrement Order (cancels the smaller order, and decreases the larger order by the amount cancelled) EM = Suppress from Tape (Orders execute, but the print is suppressed from the tape)</p> <p>XM – No Cancel (LYNX Only)</p> <p><i>Note : XM is only applicable on Limit orders with TimeInForce = “3”, Midpoint Peg Orders, and Market Peg Orders.</i></p> <p>The feature specified on the active order is considered for two orders having the same NoTradeKey but differing NoTradeFeat values.</p>

7714	NoTradeKey	String	N	<p>This is a self-assigned alphanumeric key. Orders from the same broker having the same NoTradeKey will exhibit the behaviour specified in Tag 7713 of the active order.</p> <p>Note: 6 Characters max.</p>
6750	UMIRAccountTypeld	String	N	<p><i>Required for Canadian Markets regulatory reporting.</i></p> <p><i>For Crosses, please use the Buy/Sell Account Type found under the Cross section.</i></p> <p><i>NC = Non-Client (Default)</i> <i>CL = Client</i> <i>IN = Inventory</i> <i>MP = ME Pro Order</i> <i>ST = Equities Specialist</i> <i>OT = Options Market Maker</i> <i>OF = Options Firm Account</i> <i>BU = Bundled Order</i> <i>MC = Multiple Clients</i> <i>Note: If unspecified, Default is applied</i></p>
6751	UMIRUserld	String	Y	<p>Required for Canadian Markets regulatory reporting, the trading system's user id for the trader.</p>
6755	ProgramTrade	String	N	<p>Order marked as a Program Trade to indicate an offset towards a derivatives trade.</p> <p>Y = Yes N = No</p>
6757	UMIRJitney	String	N	<p>Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID.</p> <p>Note: Value is 3-Char Leading Zero-Padded Number.</p> <p>For Crosses, please use the Buy/Sell Jitney found under the Cross section.</p>
6761	Anonymous	Char	N	<p>Flag to indicate if order is anonymous.</p> <p>Y = Yes (Anon is default on Omega) N = No (Attributed is default on Lynx)</p>
6763	UMIRRegulationId	String	N	<p>Required for Canadian Markets regulatory reporting as the Identification marker for orders and trades:</p> <p>For Crosses, please use the Buy/Sell RegID found under the Cross section.</p>

				<p>NA = Not Applicable (Default) IA = Insider Account SS = Significant Shareholder Note: If unspecified, Default is applied.</p>
6791	UMIRBypass	Char	N	<p>UMIRBypass marker allows an order to execute against only visible liquidity, bypassing hidden liquidity for trade through purposes.</p> <p>Y = Bypass Hidden Liquidity N = Do not bypass (Default)</p> <p><i>LYNX Note: "Y" will be ignored when sent to LYNX.</i></p>
6820	Protection	Char	N	<p>(Trade Through/Book Through) Protection marker protects the order against trade throughs and book throughs when entered. If an order will trade through or book through the CBBO, the order can either be price slid to the better price, or rejected as defined by the ProtectionPricImprovement marker, tag 6821</p> <p>Y = Protection On N = Protection By-pass Note: If unspecified, Session default option is applied. Might be Re-price, Cancel or Protection off.</p> <p><i>LYNX Note: No OPR reprice/reject applicable on orders entered with a TimeInForce = "0". "Y" will be ignored in these cases.</i></p>
6821	ProtectionPricImprovement	Char	N	<p>Defines whether the order should be re-priced (Y), or cancelled (N) due to Trade Through/Book Through protection.</p> <p>Y = Re-price Order N = Reject Order Note: Tag 6820 must also contain value of "Y". If tag 6820 is specified as "Y" but no value is specified in tag 6821, Re-price will be applied.</p> <p><i>LYNX Note: No OPR reprice/reject applicable on orders entered with a TimeInForce condition = "0". "Y" and "N" will be ignored in these cases.</i></p>

6888	PostOnMarket	String	N	<p>This FIX tag allows the user to specify which of the two markets the order should post on if it is not immediately executable.</p> <p>OMGA = Post on Omega LYNX = Post on Lynx Note: If unspecified, Session default option is applied.</p>
109	ClientID	String	N	Note: Echoed on Execution Report if supplied here
1	Account	String	N	<p>Note: Echoed on Execution Report if supplied here.</p> <p>For Crosses, please use the Buy/Sell Account found under the Cross section.</p> <p>(Maximum number of characters allowed is 25)</p>
21	HandInst	Char	Y	<p>Values:</p> <p>1 = Private AutoEx, no broker intervention</p>
54	Side	Char	Y	<p>Side of order:</p> <p>1 = Buy 2 = Sell 5 = Short Sell</p>
7729	ShortMarkingExempt	Char	N	<p>Orders eligible under the CIRO definition of SME must be marked accordingly with the values below.</p> <p>0 = SME</p>
55	Symbol	String	Y	Ticker symbol
207	SecurityExchange	String	N	<p>Exchange code of the listing market. Echoed back in Execution Report if included.</p>
38	OrderQty	Int	Y	<p>Number of shares</p> <p><i>LYNX Note: On Lynx ATS size must be one or more round board lots. Mixed lot and odd lot orders entered to Lynx ATS will be rejected.</i></p>
40	OrdType	Char	Y	<p>Order Type:</p> <p>2 = Limit P = Pegged</p>
100	ExDestination	Exchange	N	<p>Destination Exchange – used for order routing via Tradelogiq’s Smart Order Router (Please contact Omega for valid values)</p>
15	Currency	Currency	N	ISO 4217 Currency Code:

				<p>CAD=Canadian Dollar (Default for CAD traded Symbols) USD=American Dollar (Default for USD traded Symbols) Note: If unspecified, Default is applied</p>
44	Price	Price	Y	<p>Price per share (Limit order price)</p> <p><i>LYNX Note: Not required on Pegged Orders.</i></p>
59	TimeInForce	Char	N	<p>Specifies duration of order: 0 = Day (Default) 3 = Immediate or Cancel 4 = Fill or Kill Note: If unspecified, Default is applied</p> <p><i>LYNX Note: 4 = Fill or Kill will be rejected on LYNX</i></p>
110	MinQty	Int	N	<p>Minimum interaction size (MIS) to be applied. Specifies the minimum OrderQty of contra-side order that must be met. MIS value to be used to assess contra-side order will always be lesser of specified quantity and LeavesQty.</p> <p>MinQty value entered must be equal to or less than the difference between the entered OrderQty (38) and MaxFloor (111) values (i.e., equal to or less than the hidden portion of the order at entry) or will be rejected.</p> <p><i>Note: Applicable on Lynx only. If sent to Omega book, it will be rejected.</i></p> <p><i>Only supported on Lynx for Midpoint Peg Order or where MaxFloor is indicated.</i></p>
111	MaxFloor	Int	N	<p>Maximum number of shares within an order to be displayed at any given time for iceberg orders.</p>
18	ExecInst	Char	N	<p>Instructions for order handling. Multiple values can be sent in tag with each value delimited by a single space. Values: 0 (zero) = Post on Offer 9 = Post on Bid G = All or none M = Mid-Point Peg P = Market Peg (LYNX Only)</p>

				<p>R = Primary Peg (LYNX Only)</p> <p><i>LYNX Notes:</i></p> <ul style="list-style-type: none"> • 'R' can't be paired with TimeInforce = 3. • 'P' can't be paired with TimeInforce = 0. • '0 or 9' will not be accepted when TimeInforce = 3. • Limit Order with TimeInForce = 0 and Primary Peg: 0 or 9 will be ignored and will only trade as passive orders. • 'G' = All or None will be rejected on LYNX
60	TransactTime	Timestamp	Y	Universal Time Coordinate System (UTC)
58	Text	String	N	Free format character string
211	PegOffset	PriceOffset	N	<p>Number of ticks (signed) added to the price of the peg for Market Peg or Primary Peg orders. Positive values are more aggressive, negative values more passive.</p> <p>Default: zero</p> <p><i>This is only applicable only on LYNX. It will be rejected when sent to OMEGA .</i></p> <p><i>An unsigned offset value entered will be treated as being a positive (aggressive) offset.</i></p>
1724	OrderOrigination	Int	N	<p>Broker/Dealer needs to report, as specified by the customer.</p> <p>5 = Order received from a direct access customer (DEA)</p> <p>6 = Order received from a foreign dealer equivalent (FDE)</p> <p>7 = Order received from an execution-only service (OEO)</p>
8027	CustomerLEI	String	N	<p>LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent (Encryption required as set up between client and CIRO)</p> <p>1*52 Alphanumeric</p>

8028	BrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker) 1*20 Alphanumeric
2883	RoutingArrangementIndicator	Int	N	Routing Arrangement Indicator 0 = No routing arrangement in place 1 = Routing arrangement in place
8026	AlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis) 2*20 Alphanumeric
6792	NCIB	Char	N	Indicates a Normal-Course Issuer Bid order Valid values: Y = Yes N = No (default)
20005	MatchingStateParticipation	Char	N	Accepted Values: Y = EOC Final Turn opt-out (order will not participate in final EOC Final Turn matching stage of Match Event in Lynx Visible Book). N = EOC Final Turn not opted-out (i.e., opted-in) <i>Note: Default is N Opted-in.</i> <i>Users can request a session-level default be set.</i> <i>This is only applicable on LYNX book. When sent to OMEGA book it will be ignored.</i>
	Standard Trailer		Y	

4.3.2 Order Cancel/Replace (Modify) Request

Immediately after receiving an Order Cancel/Replace Request, Omega ATS or Lynx ATS will acknowledge the request by an Execution Report message referencing ClOrdID with ExecTransType = 0 (New) and OrdStatus = E (Pending cancel/replace).

Omega ATS or Lynx ATS will replace the order referenced in OrigClOrdID and send an Execution Report message referencing ClOrdID with ExecTransType = 0 (New) and OrdStatus = 5 (Replaced).

If a required tag is missing, the value is invalid or not supported, or the replace failed, an Order Cancel Reject message will be sent referencing ClOrdID. NOTE: the order referenced by the OrigClOrdID will retain its current status on the Omega ATS or Lynx ATS books.

Order Cancel/Replace (Modify) Request

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = G
41	OrigClOrdID	String	Y	Original order id being replaced
ALL FIELDS HERE ARE IDENTICAL TO "NEW ORDER-SINGLE REQUEST"				
	Standard Trailer		Y	

Note: With the exception of Price and OrderQty (Tags #38 and #44), all fields supplied in this message must match their original fields as provided by the initial New Order-Single request.

4.3.3 Order Cancel Request

Immediately after receiving an Order Cancel Request, Omega ATS or Lynx ATS will acknowledge the request by an Execution Report message referencing ClOrdID with ExecTransType = 0 (New) and OrdStatus = 6 (Pending cancel).

Omega ATS or Lynx ATS will cancel the order and send an Execution Report message referencing ClOrdID with ExecTransType = 0 (New) and OrdStatus = 4 (Canceled).

If a required tag is missing, the value is or not supported, or the cancel failed, an Order Cancel Reject message will be sent referencing ClOrdID. NOTE: the order referenced by the ClOrdID will retain its current status on the Omega ATS or Lynx ATS books.

Order Cancel Request

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = F
41	OrigClOrdID	String	Y	Original Order ID being cancelled
11	ClOrdID	String	Y	Order ID (unique)
54	Side	Char	Y	Side of order: 1 = Buy 2 = Sell 5 = Short Sell
55	Symbol	String	Y	Ticker symbol
60	TransactTime	Timestamp	Y	Universal Time Coordinate System (UTC)
58	Text	String	N	Free format character string
	Standard Trailer		Y	

4.3.4 Order Cancel Reject

Whenever an Order Cancel/Replace request or Order Cancel request cannot be performed an Order Cancel Reject response will be sent to the subscriber.

Order Cancel Reject

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = 9
37	OrderID	String	Y	The client's OrderID (assigned by Tradelogiq).
11	ClOrdID	String	Y	Unique order ID of Order Cancel Request or Order Cancel/Replace Request
41	OrigClOrdID	String	Y	ClOrdID which could not be canceled or cancel/replaced
39	OrdStatus	Char	Y	OrdStatus value after this cancel reject is applied (i.e. current and existing status of the order) Note: see Order Status Request for the list of values
102	CxlRejReason	Char	N	Reason for cancel rejection: 0 = Too late to cancel 1 = Unknown order 2 = WRONG_ORDER_TYPE
434	CxlRejResponseTo	Char	Y	Identifies the type of request that a Cancel Reject is in response to 1 = Order Cancel Request 2 = Order Cancel/Replace Request
58	Text	String	N	Free format character string
	Standard Trailer		Y	

4.3.5 Crosses – Omega ATS Only

The following cross message type is only supported on Omega ATS. If sent to Lynx ATS, it will be rejected.

Cross Message

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = D
11	ClOrdID	String	Y	Unique order ID
76	ExecBroker	String	Y	Used for firm identification in third-party transactions. If no third party, then the ID of the primary firm.
6751	UMIRUserId	String	Y	Required for Canadian Markets regulatory reporting, the trading system's user id for the trader.
6761	Anonymous	Char	N	Crosses are automatically attributed unless specifically marked to be anonymous.

				Y = Yes N = No (Default)
6791	UMIRBypass	Char	Y	UMIRBypass marker allows an order to execute against only visible liquidity, bypassing hidden liquidity for trade through purposes. This tag must be sent or the cross will reject. Y = Bypass Hidden Liquidity N = Do Not Bypass (Default)
40	OrdType	Char	Y	Order Type: 2 = Limit
21	HandInst	Char	Y	Values: 1 = Private AutoEx, no broker intervention
44	Price	Price	Y	Price per share (Limit order price)
54	Side	Char	Y	Side of order: 8 = Cross 9 = Cross Short
55	Symbol	String	Y	Ticker symbol
38	OrderQty	Int	Y	Number of shares
59	TimeInForce	Char	N	Specifies duration of order: 0 = Day (Default)
6773	CrossType	Char	N	I = Internal M = Intentional (Default) D = Derivative Cross
6831	BuyAccount	String	N	Note: Echoed on Execution Report if supplied here
6832	BuyAccountTypeId	String	N	Required for Canadian Markets regulatory reporting. NC = Non-Client (Default) CL = Client IN = Inventory MP = ME Pro Order ST = Equities Specialist OT = Options Market Maker OF = Options Firm Account BU = Bundled Order MC = Multiple Clients Note: If unspecified, Default is applied
6833	BuyRegulationId	String	N	Required for Canadian Markets regulatory reporting as the Identification marker for orders and trades: NA=Not Applicable (Default) IA = Insider Account SS = Significant Shareholder Note: If unspecified, Default is applied.
6834	BuyJitney	String	N	Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID.

				Note: Value is 3-Char Leading Zero-Padded Number.
6836	SellAccount	String	N	Note: Echoed on Execution Report if supplied here
6837	SellAccountTypeId	String	N	Required for Canadian Markets regulatory reporting. NC = Non-Client (Default) CL = Client IN = Inventory MP = ME Pro Order ST = Equities Specialist OT = Options Market Maker OF = Options Firm Account BU = Bundled Order MC = Multiple Clients Note: If unspecified, Default is applied
6838	SellRegulationId	String	N	Required for Canadian Markets regulatory reporting as the Identification marker for orders and trades: NA=Not Applicable (Default) IA = Insider Account SS = Significant Shareholder Note: If unspecified, Default is applied.
6839	SellJitney	String	N	Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID. Note: Value is 3-Char Leading Zero-Padded Number.
6755	ProgramTrade	String	N	Order marked as a Program Trade to indicate an offset towards a derivatives trade. Y = Yes N = No
6888	PostOnMarket	String	N	This FIX tag allows the user to specify which of the two markets the cross should be placed on. OMGA = Place on Omega Notes: <ul style="list-style-type: none"> Only valid value is "OMGA". Value of "LYNX" will be rejected. If unspecified, session default option is applied. If session default is set to "LYNX", will be rejected.
109	ClientID	String	N	Note: Echoed on Execution Report if supplied here
7729	ShortMarkingExempt	Char	N	Orders eligible under the CIRO definition of SME must be marked accordingly with the values below. 1 = Buy Cross SME

				2 = Sell Cross SME 3 = Both Buy and Sell Cross SME
207	SecurityExchange	String	N	Exchange code of the listing market. Echoed back in Execution Report if included.
15	Currency	Currency	N	ISO 4217 Currency Code: CAD=Canadian Dollar USD=American Dollar Note: If unspecified, Symbol trading currency is applied
60	TransactTime	Timestamp	Y	Universal Time Coordinate System (UTC)
58	Text	String	N	Free format character string
20201	BuyCustomerAccount	String	N	Account number for clients not eligible to obtain an LEI on buy side of cross 2*20 Alphanumeric
20202	SellCustomerAccount	String	N	Account number for clients not eligible to obtain an LEI on sell side of cross 2*20 Alphanumeric
20209	BuyOrderOrigination	Int	N	Broker/Dealer needs to report, as specified by the customer when on buy side of cross 5 = Order received from a direct access customer (DEA) 6 = Order received from a foreign dealer equivalent (FDE) 7 = Order received from an execution-only service (OEO)
20210	SellOrderOrigination	Int	N	Broker/Dealer needs to report, as specified by the customer when on sell side of cross 5 = Order received from a direct access customer (DEA) 6 = Order received from a foreign dealer equivalent (FDE) 7 = Order received from an execution-only service (OEO)
20205	BuyCustomerLEI	String	N	LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent when on buy side of cross (Encryption required as set up between client and CIRO)
20206	SellCustomerLEI	String	N	LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent when on sell side of cross (Encryption required as set up between client and CIRO)
20207	BuyBrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker) on buy side of cross

				1*20 Alphanumeric
20208	SellBrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker) on sell side of cross 1*20 Alphanumeric
20211	BuyRoutingArrangementIndicator	Int	N	Routing Arrangement Indicator on the buy side of cross 0 = No routing arrangement in place 1 = Routing arrangement in place
20212	SellRoutingArrangementIndicator	Int	N	Routing Arrangement Indicator on the sell side of cross 0 = No routing arrangement in place 1 = Routing arrangement in place
20203	BuyAlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis) on the buy side of cross 2*20 Alphanumeric
20204	SellAlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis) on the sell side of cross 2*20 Alphanumeric
63	SettlType	Char	N	Indicates order settlement period. Absence of this field is interpreted as regular settlement. Valid values: 1 = Cash (T+0) 6 = Future (used in combination with SettlDate (64)) Note: 2 = Next Day (T+1) is no longer valid and will be rejected.
64	SettlDate	Date	N	Specific date of trade settlement for delayed delivery (SettlementDate) in YYYYMMDD format. Required when SettlTyp <63> = '6' (Future) Note: Will be rejected where date specified is next day.
6792	NCIB	Char	N	Indicates a Normal-Course Issuer Bid order Valid values: Y = Yes N = No (default)
	Standard Trailer		Y	

4.3.6 Order Status Request

Subscribers can retrieve the current status of an order with this request. Omega ATS or Lynx ATS will send an Execution Report message referencing ClOrdID with ExecTransType = 3 (Status) and OrdStatus indicating the current status of the order.

If the ClOrdID cannot be found TAG 103 OrdRejReason = 1 (Unknown Order)

The Execution Report OrdStatus will be one of the following:

	OrdStatus
Open	0 (NEW)Partial 1 (PARTIAL)
Filled	2 (FILL)
Done For Day	3 (DFD)
Canceled	4 (CANCELED)
Replaced	5 (REPLACED)
Pending Cxl	6 (PENDING CANCEL)
Rejected	8 (REJECTED)
Pending Cxl/Rpl	E (PENDING CANCEL/REPLACE)

Order Status Request

Tag	Field Name	Data Type	Req'd	Comments
	Standard Header		Y	MsgType = H
11	ClOrdID	String	Y	Order id (unique)
54	Side	Char	Y	Side of order: 1 = Buy 2 = Sell 5 = Short Sell
55	Symbol	String	Y	Ticker symbol
	Standard Trailer		Y	

4.3.7 Execution Reports

The execution report message will be used to confirm the receipt of an order and changes to an existing order, reject an order request, and to confirm order fills and/or busted messages. Execution messages are also sent in response to order status requests.

Transaction Types Tag

The four transaction types (ExecTransType) are:

- 0 (New)** indicates that the message represents a new order, a status change of an order, or a new fill against an existing order.
- 1 (Cancel)** indicates that an execution (partial or fill) has been busted.
- 2 (Correct)** indicates details of an execution have been corrected.
- 3 (Status)** indicates the Execution Report is in response to an Order Status Request.

Order Status Tag

The order status can be determined by examining the ExecTransType and OrdStatus tags. The nine possible order statuses are:

	ExecTransType	OrdStatus
Confirm on New Order – Single	0 (NEW)	0 (NEW)
Execution on an order	0 (NEW)	1 or 2 (PARTIAL or FILL)
Confirmation on Cancel	0 (NEW)	4 (CANCELED)
Confirmation on Cancel/Replace	0 (NEW)	5 (REPLACED)
ACK on Cancel	0 (NEW)	6 (PENDING CANCEL)
Reject on an Order:	0 (NEW)	8 (REJECTED)
ACK on Cancel/Replace	0 (NEW)	E (PENDING CXL/RPL)
Busted Execution	1 (CANCEL)	1 or 2 (PARTIAL or FILL)
Corrected Execution	2 (CORRECT)	1 or 2 (PARTIAL or FILL)

Note: The ExecTransType in the response to an Order Status Request will always be a 3. An Order Status Request cannot be used to determine if an execution has been busted or corrected. See Order Status Request for possible responses.

Execution Reports

Tag	Field Name	Data Type	Delivered to Client	Comments
	Standard Header		Y	MsgType = 8
11	ClOrdID	String	Y	Unique order ID
17	ExecID	String	Y	Tradelogiq assigned execution identifier
19	ExecRefID	String	N	Required for Cancel and Correct ExecTransType messages, referencing the affected ExecID

76	ExecBroker	String	Y	Used for firm identification in third-party transactions. If no third party, then the ID of the primary firm.
375	ContraBroker	String	N	Used to identify the contra broker on fills. This tag will be missing if the contra is anonymous.
41	OrigCLOrdID	String	N	Original Order ID being cancelled
30	LastMkt	String	N	Market Execution of last fills: Alpha - XATS Nasdaq CXC- CHIC CX2 - XCX2 Lynx - LYNX Omega - OMGA CSE - PURE TSX/V - XTSE
21	HandlInst	Char	Y	Values: 1 = Private AutoEx, no broker intervention
6820	Protection	Char	N	Echoed back if supplied
6821	ProtectionPricImprovement	Char	N	Echoed back if supplied
7729	ShortMarkingExempt	Char	N	Echoed back if supplied
7713	NoTradeFeat	String	N	Echoed back if supplied
7714	NoTradeKey	String	N	Echoed back if supplied
7715	NoTradeOrderNum	String	N	This value contains the Tradelogiq assigned Order Number of the order that caused a Self Trade Conflict.
7716	NoTradeVol	Int	N	Volume of the prevented trade
7717	NoTradePrice	Price	N	Price of the prevented trade
7733	SelfTrade	Char	N	This tag is sent when a trade is suppressed from tape. Y = Suppressed trade
6776	UMIRInventoryMatchFlag	String	N	Optional tag will be delivered with a value of 'Y' when an order from the same Broker with UMIRAccountTypeld equal to 'CL' matches against another order of the Broker's where UMIRAccountTypeld value is 'IN' to indicate the execution shares apply to Inventory.
6750	UMIRAccountTypeld	String	N	Required for Canadian Markets regulatory reporting. NC = Non-Client (Default) CL = Client IN = Inventory MP = ME Pro Order ST = Equities Specialist OT = Options Market Maker OF = Options Firm Account BU = Bundled Order

				MC= Multiple Clients Note: If unspecified, Default is applied
6751	UMIRUserId	String	Y	Required for Canadian Markets regulatory reporting, the trading system's user id for the trader.
6757	UMIRJitney	String	N	Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID. Note: Value is 3-Char Leading Zero-Padded Number.
6761	Anonymous	Char	N	Echoed back to indicate if order is anonymous.
6763	UMIRRegulationId	String	N	Echoed back if supplied.
6777	WashTrade	String	N	Sent back to indicate a wash trade.
6791	UMIRBypass	Char	N	Echoed back to indicate if order is marked to bypass hidden liquidity.
6755	ProgramTrade	String	N	Echoed back if order was inputted as a Program Trade.
6888	PostOnMarket	String	N	Echoed back if order was inputted with a preferred posting destination.
9730	TradelLiquidityIndicator	Char	N	Always sent and only valid when LastShares is non-zero and not a cross. This is used to indicate if the shares executed added or removed liquidity from the market: A = Added liquidity R = Removed liquidity *Routed trades will contain possible values from other marketplace
20	ExecTransType	Char	Y	0 = New 1 = Cancel 2 = Correct 3 = Status
39	OrderStatus	Char	Y	0 = New 1 = Partially filled 2 = Filled 3 = Done for day 4 = Canceled 5 = Replaced 6 = Pending cancel 8 = Rejected 9 = Suspended E = Pending Replace
150	ExecType	Char	Y	0 = New 1 = Partially filled 2 = Filled 3 = Done for day 4 = Canceled 5 = Replaced

				6 = Pending cancel 8 = Rejected 9 = Suspended D = Restatement E = Pending Replace
37	OrderID	String	Y	Tradelogiq assigned order reference identifier
1	Account	String	N	Account if destination firm requires. Note: Echoed on Execution Report if supplied in New Order-Single request
109	ClientID	String	N	Sending client's ID – will be used for block or institution order Note: Echoed on Execution Report if supplied in New Order-Single request
54	Side	Char	Y	Side of order: 1 = Buy 2 = Sell 5 = Short Sell
55	Symbol	String	Y	Ticker symbol
207	SecurityExchange	String	N	Exchange code of the listing market. Echoed back in Execution Report if included. TO = TSX TV = Venture Exchange CN = CSE
22	IDSource	String	N	Identifies class of alternative SecurityID 1 = CUSIP
48	SecurityID	String	N	CUSIP identifier of the security
12	Commission	String	N	Displays the per share rate for the execution. Rebates will be displayed as a negative number and charges will be displayed as a positive number.
13	CommType	Char	N	1 = per share
38	OrderQty	Int	Y	Number of shares
40	OrdType	Char	Y	Order Type: 2 = Limit P = Pegged
100	ExDestination	Exchange	N	Destination Exchange – used for order routing via Tradelogiq's Smart Order Router.
15	Currency	Char	Y	ISO 4217 Currency Code: CAD = Canadian Dollar USD = American Dollar Note: If unspecified in the New Order-Single Request, Symbol trading currency will have been applied
44	Price	Price	Y	Limit price (Price per share).

				LYNX Note: Not required on Pegged Orders.
59	TimeInForce	Char	Y	Specifies duration of order: 0 = Day (Default) 3 = Immediate or Cancel 4 = Fill or Kill Note: If unspecified in the New Order-Single Request, Default will have been applied
110	MinQty	Int	N	Minimum interaction size (MIS) to be applied. Specifies the minimum OrderQty of contra-side order that must be met. MIS value to be used to assess contra-side order will always be lesser of specified quantity and LeavesQty.
111	MaxFloor	Int	N	Maximum number of shares within an order to be displayed at any given time.
103	OrdRejReason	Char	N	Valid value: 0=Broker/Exchange option 1 = unknown symbol 2 = Exchange closed 5 = Unknown Order 6 = Duplicate Order (e.g. dupe ClOrdID)
18	ExecInst	Char	N	Instructions for order handling. (zero) = Post on Offer 9 = Post on Bid G = All or none M = Mid-Point Peg P = Market Peg R = Primary Peg
60	TransactTime	Timestamp	Y	Universal Time Coordinate System (UTC)
32	LastShares	Int	N	Qty of shares last bought / sold on this order.
31	LastPx	Price	N	Price of last fill.
14	CumQty	Int	Y	Cumulative Qty. Total number of shares filled.
6	AvgPx	Price	Y	Average price of CumQty shares
198	SecondaryOrderID	String	N	Assigned by the party which accepts the order. Can be used to provide the OrderID used by an exchange or executing system.
151	LeavesQty	Int	Y	Shares open for further execution
58	Text	String	N	Free format character string
211	PegOffset	PriceOffset	N	Number of ticks (signed) added to the price of the peg for Market Peg or

				Primary Peg orders. Positive values are more aggressive, negative values more passive.
8025	CustomerAccount	String	N	Account number for clients not eligible to obtain an LEI
1724	OrderOrigination	Int	N	Broker/Dealer needs to report, as specified by the customer. 5 = Order received from a direct access customer (DEA) 6 = Order received from a foreign dealer equivalent (FDE) 7 = Order received from an execution-only
8027	CustomerLEI	String	N	LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent (Encryption required as set up between client and CIRO)
8028	BrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker)
2883	RoutingArrangementIndicator	Int	N	Routing Arrangement Indicator 0 = No routing arrangement in place 1 = Routing arrangement in place
8026	AlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis)
6792	NCIB	Char	N	Indicates a Normal-Course Issuer Bid order Valid values: Y = Yes N = No (default)
20005	MatchingStateParticipation	Char	N	Accepted Values: Y = EOC Final Turn opt-out (order will not participate in final EOC Final Turn matching stage of Match Event in Lynx Visible Book). N = EOC Final Turn not opted-out (i.e., opted-in) <i>Note: Default is N Opted-in</i>

Execution Reports – Crosses

Tag	Field Name	Data Type	Delivered to Client	Comments
54	Side	Char	Y	Side of order: 8 = Cross 9 = Cross Short
6773	Cross Type	Char	Y	I = Internal D = Derivative Cross M = Intentional (default)
7729	ShortMarkingExempt	Char	N	Echoed back if supplied
6831	BuyAccount	String	N	Note: Echoed on Execution Report if supplied here
6832	BuyAccountTypeId	String	N	Required for Canadian Markets regulatory reporting. NC = Non-Client (Default) CL = Client IN = Inventory MP = ME Pro Order ST = Equities Specialist OT = Options Market Maker OF = Options Firm Account BU = Bundled Order MC = Multiple Clients Note: If unspecified, Default is applied
6833	BuyRegulationId	String	N	Required for Canadian Markets regulatory reporting as the Identification marker for orders and trades: NA=Not applicable (Default) IA = Insider Account SS = Significant Shareholder Note: If unspecified, Default is applied.
6834	BuyJitney	String	N	Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID. Note: Value is 3-Char Leading Zero-Padded Number.
6836	SellAccount	String	N	Note: Echoed on Execution Report if supplied here
6837	SellAccountTypeId	String	N	Required for Canadian Markets regulatory reporting. NC = Non-Client (Default) CL = Client IN = Inventory MP = ME Pro Order ST = Equities Specialist OT = Options Market Maker OF = Options Firm Account BU = Bundled Order MC = Multiple Clients

				Note: If unspecified, Default is applied
6838	SellRegulationId	String	N	Required for Canadian Markets regulatory reporting as the Identification marker for orders and trades: NA=Not applicable (Default) IA = Insider Account SS = Significant Shareholder Note: If unspecified, Default is applied.
6839	SellJitney	String	N	Order marked as being executed on behalf of another broker, and provided here as their numeric Broker ID. Note: Value is 3-Char Leading Zero-Padded Number.
20201	BuyCustomerAccount	String	N	Account number for clients not eligible to obtain an LEI on buy side of cross 2*20 Alphanumeric
20202	SellCustomerAccount	String	N	Account number for clients not eligible to obtain an LEI on sell side of cross 2*20 Alphanumeric
20209	BuyOrderOrigination	Int	N	Broker/Dealer needs to report, as specified by the customer when on buy side of cross 5 = Order received from a direct access customer (DEA) 6 = Order received from a foreign dealer equivalent (FDE) 7 = Order received from an execution-only service (OEO)
20210	SellOrderOrigination	Int	N	Broker/Dealer needs to report, as specified by the customer when on sell side of cross 5 = Order received from a direct access customer (DEA) 6 = Order received from a foreign dealer equivalent (FDE) 7 = Order received from an execution-only service (OEO)
20205	BuyCustomerLEI	String	N	LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent when on buy side of cross (Encryption required as set up between client and CIRO)
20206	SellCustomerLEI	String	N	LEI for clients eligible to obtain an LEI, including LEI of the foreign dealer equivalent when on sell side of cross (Encryption required as set up between client and CIRO)

20207	BuyBrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker) on buy side of cross 1*20 Alphanumeric
20208	SellBrokerLEI	String	N	Non-Participant CIRO Dealer Member (Correspondent Broker) on sell side of cross 1*20 Alphanumeric
20211	BuyRoutingArrangementIndicator	Int	N	Routing Arrangement Indicator on the buy side of cross 0 = No routing arrangement in place 1 = Routing arrangement in place
20212	SellRoutingArrangementIndicator	Int	N	Routing Arrangement Indicator on the sell side of cross 0 = No routing arrangement in place 1 = Routing arrangement in place
20203	BuyAlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis) on the buy side of cross 2*20 Alphanumeric
20204	SellAlgorithmID	String	N	Unique identifier for the end-client (orders automatically generated on a predetermined basis) on the sell side of cross 2*20 Alphanumeric
63	SettlType	Char	N	Indicates order settlement period. Absence of this field is interpreted as regular settlement. Valid values: 1 = Cash (T+0) 6 = Future (used in combination with SettlDate (64))
64	SettlDate	Date	N	Specific date of trade settlement for delayed delivery (SettlementDate) in YYYYMMDD format. Required when SettlTyp <63> = '6' (Future)

Notes:

- Where Delivered to Client for a field in the above table is identified as “N”, the field may or may not be returned to the subscriber, depending on whether the field has a Default value applied or the subscriber supplies a value for the field. In the cases where either of the two are true (i.e. field has Default value or value supplied by the subscriber) then the field and its value will be Delivered to the Client in the Execution Report.
- Cross orders result in 2 Execution Reports being returned upon submission. The first execution report will be denoted with status = NEW, followed by the 2nd Execution Report with status = Fill.
- **Cross orders are only applicable on Omega ATS. Lynx ATS will reject cross orders.**